# **ISO/IEC JTC1/SC2/WG2** N 2244 2000-08-10

# ISO/IEC JTC1/SC2/WG2 Universal Multiple-Octet Coded Character Set(UCS) Secretariat: ANSI

TITLE: PROPOSAL FOR THE ADDITION OF 82 SYMBOLS

TO ISO/IEC 10646-1:2000

**DOC. TYPE:** National body contribution

SOURCE: Committee for Standardization of the D. P. R. of Korea (CSK)
DISTRIBUTION: ISO/IEC JTC1/SC2/WG2 Members and Liaison Organization

**DATE:** 2000-08-10

**REFERENCE**: WG2 N2182, WG2 N2170, WG2 N2204, WG2 N2167

This document is a more detailed WG2 N2182 which was submitted by D. P. R. of Korea in August 1998.

The 38th WG2 meeting recognized that some symbols from our proposal are under consideration now and resolved that CSK should submit a more completed proposal following the guidelines in the WG2 principle and procedures document (SC2/WG2 N 2002).

Therefore, CSK submit our proposal summary form and propose the addition of 82 symbols that are specified in KPS 9566-97 and widely in use in D. P. R.of Korea .

And CSK Propose to add 82 symbols, along with those which are now under consideration of WG2, to the working draft of next amendment of ISO/IEC 10646-1:2000.

# ISO/IEC JTC 1/SC 2/WG 2

# PROPOSAL SUMMARY FORM TO ACCOMPANY SUBMISSIONS FOR ADDITIONS TO THE REPERTORIE OF ISO/IEC 10646

Please fill all the sections A,B and C below

# A. Administrative

1. Title: Proposal to add 82 Symbols to ISO/IEC 10646-1:2000	
2. Requester's name: Committee for Standardization of D.P.R.of K	Korea (CSK)
3. Requester type (Member body/Liaison/Individual contribution): 4. Submission date: 5. Requester's reference (if applicable): 6. (Choose one of the following:)  This is a complete proposal:  More information will be provided later:	<u>Member body</u> 2000-08-10 <u>KPS 9566-97</u> <u>Yes</u> <u>Yes</u>
B. Technical-General	
<ol> <li>(Choose one of the following:)</li> <li>a. This proposal is for a new script (set of characters):         Proposed name of script:         <ul> <li>b. The proposal is for addition of character(s) to an existing block</li> <li>b. General Punctuation (13), Number Form (5), Miscellaneous Enclosed Alphanumerics (10), Geometric Shapes (6), Miscellaneous Dingbats (1), Supplemental -A Arrow (14), CJK Symbols are Enclosed CJK Letters and Month (10)</li> </ul> </li> <li>Number of characters in proposal:         <ul> <li>Proposed category (see section II, character categories):</li> </ul> </li> <li>Proposed Level of Implementation (see clause 15, ISO/IEC 1064).</li> </ol>	Technical (17), ellaneous Symbols (3), and Punctuation (3),
Is a rationale provided for the choice?  If Yes, reference:  5. Is a repertoire including character names provided?:  a. If YES, are the names in accordance with the 'character name in Annex K of ISO/IEC 10646-1?  b. Are the character shapes attached in a reviewable form?  6. Who will provide the appropriate computerized font (ordered pre Postscript or 96*96 bit-mapped format) for publishing the standard CSK  If available now, identify source(s) for the font (include address, e-reference)	Yes Yes Yes ference: TrueType, dard?
ftp-site, etc.) and indicate the tools used:  96 * 96bit mapped format  7. References:  a. Are references (to other character sets, dictionaries, descripting provided?	

b. Are published examples (such as samples from newspapers, magazines, or	<b>T</b> 7
other sources) of use of proposed characters attached?	Yes
8. Special encoding issues:	No
Does the proposal address other aspects of character data processing (if applicable) such as input, presentation, sorting, searching, indexing, transliteration etc. (if yes please enclose information):	
C. Technical-Justification	
1. Has this proposal for addition of character(s) been submitted before?	Yes
If YES, explain In the 38TH WG2 meeting, WG2 document N2182	
2. Has contact been made to members of the user community (for example: National	
Body, user groups of the script or characters, other experts, etc.)?	Yes
If YES, with whom? <u>CSK, PIC (Pyongyang Informatics Centre)</u>	_
KCC (Korean Computer Centre), ASS (Academy of Social Sciences of D.P.R.K)	<u>)</u>
If YES, available relevant documents? <u>KPS 9566-97</u>	
3. Information on the user community for the proposed characters (for example: size,	
Demographics, information technology use, or publishing use) is included?	Yes
Reference:	
4. The context of use for the proposed characters (type of use; common or rare) Comm	<u>non</u>
Reference:  5. Are the proposed characters in current use by the user community?	Vac
5. Are the proposed characters in current use by the user community?  If YES, where? Reference:  In the D.P.R of Korea	Yes
If YES, where? Reference: <u>In the D.P.R of Korea</u> 6. After giving due considerations to the principles in "principles and procedures" docum	ant (
a	ciii (
WG2 standing document) must the proposed characters be entirely in the BMP? If YES, is a rationale provided?	Yes
If YES, reference:	
7. Should the proposed characters be kept together in a contiguous range (rather then being scattered)?	Yes
8. Can any of the proposed characters be considered a presentation form of an existing	
character or character sequence?	No
If YES, is a rationale for its inclusion provided?	
If YES, reference:	
9. Can any of the proposed character(s) be considered to be similar (in appearance	
or function) to an existing character?	No
If YES, is a rationale for its inclusion provided?  If YES, reference:	
10. Does the proposed include use of combining characters and/ or use of composite	
sequences (see clauses 4.11 and 4.13 in ISO/IEC 10646-1)?	No
If Yes, is a rationale for such use provided?	
If YES, reference:	
Is a list of composite sequences and their corresponding glyph images	
(graphic symbols) provided?	
If YES, reference:	
11. Does the proposal contain characters with any special properties such as control	
function or similar semantics?	No
If YES, describe in detail (include attachment if necessary)	

### **REPERTOIRE**

#### GENERAL PUNCTUATION

- · 2058 VERTICAL WRITING DOT
- ' 2059 VERTICAL WRITING COMMA
- ° 205A VERTICAL WRITING RING ABOVE
- 205B VERTICAL WRITING GRAVE ACCENT
- 5 205C VERTICAL WRITING WAVE DASH
- .) 205D RIGHT PARENTHESIS WITH A FULL STOP
- .) 205E RIGHT DOUBLE ANGLE QUOTATION MARK WITH A FULL STOP
- , 2064 OPEN ROW SINGLE QUOTATION MARK
  - 2065 CLOSE ROW SINGLE QUOTATION MARK
- " 2066 OPEN ROW DOUBLE QUOTATION MARK
  - 2067 CLOSE ROW DOUBLE QUOTATION MARK
- \_\_ 2068 VERTICAL OPEN SQUARE BRACKET
- 2069 VERTICAL CLOSE SQUARE BRACKET

#### **NUMBER FORMS**

- $\frac{1}{2}$  2184 VOLGAR FRACTION ONE HALF
- $\frac{1}{3}$  2185 VOLGAR FRACTION ONE THIRD
- $\frac{2}{3}$  2186 VOLGAR FRACTION TWO THIRDS
- $\frac{1}{4}$  2187 VOLGAR FRACTION ONE QUARTER
- $\frac{3}{4}$  2188 VOLGAR FRACTION THREE QUARTERS

#### MISCELLANEOUS TECHNICAL

- °K 23C0 KELVIN
- dm 23C1 DECIMETRE
- dn<sup>2</sup> 23C2 SQUARE DECIMETRE
- dni 23C3 CUBIC DECIMETRE
- $\frac{1}{2}$  23C4 VOLT PER METRE
- $\frac{4}{m}$  23C5 AMPERE PER METRE
- gal 23C6 GALLON
- Hg 23C7 MERCURIAL COLUMN
- erg 23C8 ERG
- eV 23C9 ELECTRO VOLT
- <□ 23CA WHITE ENTER MARK
- 23CB CIRCLED WHITE UP-POINTING INDEX
- ⇒ 23CC TEA MARK
- IID 23CD LIMITED LIABILITY
- PTE 23CE PARTNERSHIP
- FAX 23CF FACSIMILE
- IU 23D0 INTERNATIONAL UNIT

#### **ENCLOSED ALPHANUMERICS**

- ② 24F0 CIRCLED NUMBER TWENTY-ONE
- 24F1 CIRCLED NUMBER TWENTY-TWO
- ② 24F2 CIRCLED NUMBER TWENTY-THREE
- ② 24F3 CIRCLED NUMBER TWENTY-FOUR
- ② 24F4 CIRCLED NUMBER TWENTY-FIVE
- ② 24F5 CIRCLED NUMBER TWENTY-SIX
- ② 24F6 CIRCLED NUMBER TWENTY-SEVEN
- 24F7 CIRCLED NUMBER TWENTY-EIGHT
- ② 24F8 CIRCLED NUMBER TWENTY-NINE
- 30 24F9 CIRCLED NUMBER THIRTY

#### **GEOMETRIC SHAPES**

- ▲ 25F8 WHITE UP-POINTING TRIANGLE WITH BLACK TRIANGLE
- **▲** 25F9 WHITE UP-POINTING TRIANGLE WITH HORIZONTAL FILL
- ▲ 25FA WHITE UP-POINTING TRIANGLE WITH UPPER LEFT TO LOWER RIGHT FILL
- 25FB WHITE UP-POINTING TRIANGLE WITH UPPER RIGHT TO LOWER LEFT FILL
- □ 25FC WHITE FLAG
- 25FD BLACK FLAG

#### MISCELLANEOUS SYMBOLS

- → 2614 SHOWER
- ₹ 2615 LIGHTNING
- △ 2616 WHITE UP-POINTING WITH CAUTION MARK

#### DINGBATS

★ 2700 LEFTWARDS BLACK SCISSOR

# SUPPLEMENTAL-A ARROWS

- 2B00 NORTH EAST WHITE ARROW
- ∑ 2B01 NORTH WEST WHITE ARROW
- SOUTH EAST WHITE ARROW
- ∠ 2B03 SOUTH WEST WHITE ARROW
- → 2B04 RIGHTWARDS BLACK ARROW
- ← 2B05 LEFTWARDS BLACK ARROW
- 1 2B06 UPWARDS BLACK ARROW

- \$\ 2B07 DOWNWARDS BLACK ARROW
- ✓ 2B08 NORTH EAST BLACK ARROW
- ► 2B09 NORTH WEST BLACK ARROW
- ➤ 2B0A SOUTH EAST BLACK ARROW
- ✓ 2B0B SOUTH WEST BLACK ARROW
- → 2B0C RIGHTWARDS AND LEFTWARDS BLACK ARROW
- \$\ 2B0D UPWARDS AND DOWNWARDS BLACK ARROW

# CJK SYMBOLS AND PUNCTUATION

- ₹ 303B WHITE DOWN-POINTING TRIANGLE WITH POST MARK
- **☆** 303C MARK OF THE WORKERS' PARTY OF KOREA

# ENCLOSED CJK LETTERS AND MONTHS

(오전)	321D	PARENTHESIZED KOREAN CHARACTER OJEON
(오 <del>후)</del>	321E	PARENTHESIZED KOREAN CHARACTER OHU
김	3244	EMPHASIZED KOREAN LETTER KIM INSIDE KIM IL SUNG
일	3245	EMPHASIZED KOREAN LETTER IL INSIDE KIM IL SUNG
성	3246	EMPHASIZED KOREAN LETTER SUNG INSIDE KIM IL SUNG
김	3247	EMPHASIZED KOREAN LETTER KIM INSIDE KIM JONG IL
정	3248	EMPHASIZED KOREAN LETTER JONG INSIDE KIM JONG IL
일	3249	EMPHASIZED KOREAN LETTER IL INSIDE KIM JONG IL
_		

- (a) 327C CIRLED KOREAN CHARACTER CHAMKO
- <sup>49</sup> 327D CIRLED KOREAN CHARACTER JUEUI